

Approved by ECOCERT INPUTS

Controlled by ECOCERT SAS

Product suitable for use in Organic Farming in accordance with EU Regulations No 2018/848 and 2021/1165 and NOP Regulation.

STERI-HARVEST

SANS 1827 Cert. No. 2025IS/TS/416 | NRCS Reg. 8054/294378/453

BROAD-SPECTRUM DISINFECTANT

Steri-Harvest is an effective broad-spectrum, anti-microbial, non-selective contact bactericide (SANS 51276) and fungicide (SANS 51650) for the control of various pathogens, to help reduce the spread of diseases to fresh produce.

COMPOSITION WHEN PACKED

Dioxy MP14 - Stabilized Biocide: 3g/L (3000ppm)

Hydrogen peroxide

eco-GREEN AGRICULTURE

MANUFACTURER:
Eco-Green Agriculture (Pty) Ltd
Suite 05, Private Bag 3041, Northern Paarl, 7620, South Africa
Customer Care: +27 (0)21 871 1303
info@ecogreenagri.com
www.ecogreenagri.com

Product Registration Holder: VIVRE

For Marketing Purposes Only



WARNING

Hazard statements:
Harmful if swallowed.

Precautionary statements:
Obtain, read and follow all safety instructions before use.
Wash hands and face thoroughly after handling. Do not touch eyes.
Wear protective gloves/protective clothing/eye protection/face protection/respirator.
Do not mix this product with any other substances.

20 L

DIRECTIONS FOR USE

PLEASE SEE REVERSE SIDE OF LABEL FOR INFORMATION/DIRECTIONS FOR USE

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

LIFT HERE

FIRST AID MEASURES	
EXPOSURE:	Remove victims from the area of exposure to fresh air immediately. Seek immediate medical advice.
PRODUCT INHALED/INHALATION:	Remove people from contaminated areas to fresh air immediately. Seek medical attention if irritation occurs. Administer oxygen if trained personnel are available.
PRODUCT INGESTED/INGESTION:	Rinse mouth with water. Seek medical attention or call a poison control centre for treatment advice. Do not induce vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
PRODUCT IN EYES/EYE CONTACT:	Immediately flush eyes with plenty of clean water for at least 15 minutes, lifting the upper and lower eyelids to ensure thorough rinsing. Remove contact lenses, if present and easy to do, and continue rinsing. Seek immediate medical attention.
PRODUCT ON SKIN/SKIN CONTACT:	Remove contaminated clothing. Flush skin with water. Seek medical attention if skin irritation persists.
PHYSICIANS/DOCTORS:	Treat symptomatically and supportively monitor respiratory status closely following inhalation exposure.

HANDLING AND STORAGE	
PERSONAL PROTECTIVE EQUIPMENT (PPE):	**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment. A positive-pressure self-contained breathing apparatus (SCBA) for emergency response. **Hand Protection:** The use of chemically protective shoulder-length gloves is recommended to prevent skin contact. **Eye Protection:** The use of chemical safety goggles and face shields is recommended to prevent eye contact. Contact lenses are not protective eye devices. **Skin and Body Protection:** Workers must wear appropriate chemical-resistant protective clothing that is acid-resistant and flame-retardant with reflective stripes, as well as rubber boots and head protection to prevent repeated or prolonged skin contact with this substance.
STORAGE REQUIREMENTS:	Store away from children and food. Always keep the product in its original packaging. Containers should be properly closed. Store separately from incompatible substances and mixtures. To maintain product efficacy, use diluted solutions immediately after preparation and do not store diluted solutions overnight. Store in a cool, dry and dark place. Always keep containers on a pallet and protect the product from direct sunlight. Store between 0 °C and 10 °C. Protect from frost. **SHELF LIFE:** 3 MONTHS FROM DATE OF MANUFACTURE WHEN STORED IN THE ORIGINAL, UNOPENED CONTAINER UNDER RECOMMENDED STORAGE CONDITIONS.

PRECAUTIONS:
Do not handle until all safety instructions have been read and understood. Keep out of reach of children. Always wear appropriate personal protective equipment (PPE). Do not ingest. Avoid breathing in vapours. Intense sunlight could also affect the efficacy of the disinfectant. Do not mix this product with any other substances. Painted surfaces, linoleum, asphalt, rubber, plastic and stainless-steel surfaces should be rinsed with clean water within 15 minutes of application. This product is not a substitute for good hygiene and sanitation practices. Appropriate cleaning procedures should always be followed and maintained.

For Marketing Purposes Only

DIRECTIONS FOR USE:

- After diluting Steri-Harvest with water, use as soon as possible. Avoid letting the diluted solution sit overnight.
- Compatibility and/or performance cannot be guaranteed when combined with other products. Do not mix Steri-Harvest with anything else except water, with minimal organic and inorganic content.
- Steri-Harvest is biodegradable and leaves no residues after operation.
- Always store in a cool, dry and dark place, out of any direct sunlight and on a pallet.

APPLICATION	DOSAGE	COMMENTS
Water sanitation (fruit and vegetable packing and processing)	Use 6 to 8 L Steri-Harvest per 1000 L of water. (Maintenance: 3,5 to 4,5 L Steri-Harvest per 1000 L of water.)	Water used to wash fruit can be sanitized by using Steri-Harvest to control various pathogens in the wash water. Maintain concentration and mixture parameter (pH) to keep Steri-Harvest effective. Replace recirculating mixtures when dirty. Pre-sort and remove decayed/injured fruit to prevent the spread of disease.
Disinfecting of hard surfaces, cold rooms, sorting tables, tools, equipment, fruit nettings, tunnels, greenhouses, plastic crates	0,8 to 1 L Steri-Harvest per 100 L of water	Wet pre-cleaned hard surfaces with the Steri-Harvest solution and allow to dry.
Foot baths	1 L Steri-Harvest per 100 L of water	Replace the mixture in the footbath on a daily basis as required.
Hydrocooling	Use 4 to 6 L Steri-Harvest per 1000 L of water	Treat water in hydrocooler.
For the removal of post-harvest chemical residues from packhouse hard surfaces (e.g. plastic crates)	2 L Steri-Harvest per 100 L of water	To limit the risk of residue transfer to fruit and vegetables, ensure that Steri-Harvest is applied to clean surfaces free of dirt. Rinse these surfaces thoroughly with a generous amount of clean water.

For Marketing Purposes Only

Although this product has been extensively tested under a large variety of conditions, the manufacturer does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation and the environment or harm to man or animal or for lack of performance of the product concerned due to failure of the user to follow label instructions or to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.